

06-05-00

A

Please type a plus sign (+) inside this box [+]

PTO/SB/05 (12/97)

Approved for use through 09/30/00. OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No. 74451.P104Total Pages 3First Named Inventor or Application Identifier Marko BalabanovicExpress Mail Label No. EL627468045US

ADDRESS TO: **Assistant Commissioner for Patents**
Box Patent Application
Washington, D. C. 20231

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

1. X Fee Transmittal Form
(Submit an original, and a duplicate for fee processing)
2. X Specification (Total Pages 29)
(preferred arrangement set forth below)
 - Descriptive Title of the Invention
 - Cross References to Related Applications
 - Statement Regarding Fed sponsored R & D
 - Reference to Microfiche Appendix
 - Background of the Invention
 - Brief Summary of the Invention
 - Brief Description of the Drawings (if filed)
 - Detailed Description
 - Claims
 - Abstract of the Disclosure
3. X Drawings(s) (35 USC 113) (Total Sheets 2)
4. X Oath or Declaration (Total Pages 5)
 - a. Newly Executed (Original or Copy)
 - b. Copy from a Prior Application (37 CFR 1.63(d))
(for Continuation/Divisional with Box 17 completed) (**Note Box 5 below**)
 - i. DELETIONS OF INVENTOR(S) Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b).
5. Incorporation By Reference (useable if Box 4b is checked)
The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
6. Microfiche Computer Program (Appendix)

7. ☐ Nucleotide and/or Amino Acid Sequence Submission
(if applicable, all necessary)
a. ☐ Computer Readable Copy
b. ☐ Paper Copy (identical to computer copy)
c. ☐ Statement verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

8. ☐ Assignment Papers (cover sheet & documents(s))
9. ☐ a. 37 CFR 3.73(b) Statement (where there is an assignee)
☐ b. Power of Attorney
10. ☐ English Translation Document (if applicable)
11. ☐ a. Information Disclosure Statement (IDS)/PTO-1449
☐ b. Copies of IDS Citations
12. ☐ Preliminary Amendment
13. ☒ Return Receipt Postcard (MPEP 503) (Should be specifically itemized)
14. ☐ a. Small Entity Statement(s)
☐ b. Statement filed in prior application, Status still proper and desired
15. ☐ Certified Copy of Priority Document(s) (if foreign priority is claimed)
16. ☐ Other:

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP)
of prior application No:

18. Correspondence Address

☐ Customer Number or Bar Code Label
(Insert Customer No. or Attach Bar Code Label here)
or

☒ Correspondence Address Below

NAME Michael J. Mallie Reg. No. 36,591
BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP

ADDRESS 12400 Wilshire Boulevard
Seventh Floor

CITY Los Angeles STATE California ZIP CODE 90025-1026

Country U.S.A. TELEPHONE (408) 720-8598 FAX (408) 720-9397

12/01/97

- 2 -


PTO/SB/05 (12/97)

Approved for use through 09/30/00. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Respectfully submitted,

BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP

Dated: 5/31, 2000



Michael J. Mallie
Reg. No. 45,750

EXPRESS MAIL CERTIFICATE OF MAILING

"Express Mail" mailing label number: EL627468045US

Date of Deposit: May 31, 2000

I hereby certify that I am causing this paper or fee to be deposited with the United States Postal Service "Express Mail Post Office to Addressee" service on the date indicated above and that this paper or fee has been addressed to the Assistant Commissioner for Patents, Washington, D. C. 20231

Sharon M. Osofsky

(Typed or printed name of person mailing paper or fee)

(Signature of person mailing paper or fee)

(Date signed)

001250 2745350

JC530 U.S. PTO
09/585713
05/31/00

EXPRESS MAIL CERTIFICATE OF MAILING

"Express Mail" mailing label number: EL627468045US

Date of Deposit: May 31, 2000

I hereby certify that I am causing this paper or fee to be deposited with the United States Postal Service "Express Mail Post Office to Addressee" service on the date indicated above and that this paper or fee has been addressed to the Assistant Commissioner for Patents, Washington, D. C. 20231

Sharon M. Ososky
(Typed or printed name of person mailing paper or fee)

Sharon M. Ososky
(Signature of person mailing paper or fee)

May 31, 2000
(Date signed)

Serial/Patent No.: **** Filing/Issue Date: ****

Client: Ricoh

Title: A METHOD AND AN APPARATUS FOR VISUAL SUMMARIZATION OF DOCUMENTS

BSTZ File No.: 74451.P104

Atty/Secty Initials: MJM/smo

Date Mailed: May 31, 2000

Docket Due Date: ****

The following has been received in the U.S. Patent & Trademark Office on the date stamped hereon:

- | | | |
|--|--|--|
| <input type="checkbox"/> Amendment/Response (____ pgs.) | <input checked="" type="checkbox"/> Express Mail No. <u>EL627468045US</u> | Check No. <u>35584</u> |
| <input type="checkbox"/> Appeal Brief (____ pgs.) (in triplicate) | <input type="checkbox"/> _____ Month(s) Extension of Time | Amt. <u>\$1020.00</u> |
| <input checked="" type="checkbox"/> Application - Utility (<u>29</u> pgs., with cover and abstract) | <input type="checkbox"/> Information Disclosure Statement & PTO 140 (____ pgs.) | <input type="checkbox"/> Check No. _____ |
| <input type="checkbox"/> Application - Rule 1.53(b) Continuation (____ pgs.) | <input type="checkbox"/> Issue Fee Transmittal | Amt: _____ |
| <input type="checkbox"/> Application - Rule 1.53(b) Divisional (____ pgs.) | <input type="checkbox"/> Notice of Appeal | |
| <input type="checkbox"/> Application - Rule 1.53(b) CIP (____ pgs.) | <input type="checkbox"/> Petition for Extension of Time | |
| <input type="checkbox"/> Application - Rule 1.53(d) CPA Transmittal (____ pgs.) | <input type="checkbox"/> Petition for _____ | |
| <input type="checkbox"/> Application - Design (____ pgs.) | <input checked="" type="checkbox"/> Postcard | |
| <input type="checkbox"/> Application - PCT (____ pgs.) | <input type="checkbox"/> Power of Attorney (____ pgs.) | |
| <input type="checkbox"/> Application - Provisional (____ pgs.) | <input type="checkbox"/> Preliminary Amendment (____ pgs.) | |
| <input type="checkbox"/> Assignment and Cover Sheet | <input type="checkbox"/> Reply Brief (____ pgs.) | |
| <input checked="" type="checkbox"/> Certificate of Mailing | <input type="checkbox"/> Response to Notice of Missing Parts | |
| <input checked="" type="checkbox"/> Declaration & POA (<u>5</u> pgs.) (Unsigned) | <input type="checkbox"/> Small Entity Declaration for Indep. Inventor/Small Business | |
| <input type="checkbox"/> Disclosure Docs & Orig & Copy of Inventor's Signed Letter (____ pgs.) | <input checked="" type="checkbox"/> Transmittal Letter, <u>XXXXXX</u> | |
| <input checked="" type="checkbox"/> Drawings: <u>2</u> # of sheets includes <u>6</u> figures | <input checked="" type="checkbox"/> Fee Transmittal, in duplicate | |

☐ Other: _____

UNITED STATES PATENT APPLICATION
FOR
A METHOD AND AN APPARATUS FOR
VISUAL SUMMARIZATION OF DOCUMENTS

Inventors:

Marko Balabanovic
DarShyang Lee

Prepared by:

BLAKELY SOKOLOFF TAYLOR & ZAFMAN LLP
12400 Wilshire Boulevard, Seventh Floor
Los Angeles, California 90025
(310) 207-3800

EXPRESS MAIL CERTIFICATE OF MAILING

“Express Mail” mailing label number: EL627468045US

Date of Deposit: May 31, 2000

I hereby certify that I am causing this paper or fee to be deposited with the United States Postal Service “Express Mail Post Office to Addressee” service on the date indicated above and that this paper or fee has been addressed to the Commissioner of Patents and Trademarks, Washington, D. C. 20231

Sharon M. Osofsky

(Typed or printed name of person mailing paper or fee)

(Signature of person mailing paper or fee)

(Date signed)

0074451.P104

A METHOD AND AN APPARATUS FOR VISUAL SUMMARIZATION OF DOCUMENTS

Field of the Invention

The invention relates generally to displaying information on a graphic user interface ("GUI") and more specifically to displaying information in such a way as to quickly and easily communicate information to a user.

5 Description of Related Art

Computers and other electronic devices with GUI's are used to communicate information. A part of this communication process involves displaying information on a GUI in an efficient manner. In many retrieval and browsing user interfaces, documents are represented by scaled-down images.

10 For example, if the document contains multiple pages, each page may be represented by a separate icon. If each page of a document is represented by an icon, many icons are needed to display a large document. This approach is generally too cumbersome to use. In an alternative approach, a single icon may be used to represent the entire document. Generally, the first page of the
15 document is arbitrarily chosen to represent the document regardless of whether the visual appearance of the first page provides a visual cue for association with that particular document. It is therefore desirable to have a system to represent documents or other items such that information about a document or item is easily relayed to and understandable by a user.

SUMMARY OF THE INVENTION

A computer system is disclosed that comprises a display, a processor coupled to the display, and a memory coupled to the processor. Stored in the memory is a routine, which when executed by the processor, causes the processor to generate display data. The routine includes extracting at least one visual feature from a document having a plurality of pages, ranking the pages in the document according to the at least one visual feature, selecting a page for representing a document according to a rank, and displaying the selected page as the display data. Additional features, embodiments, and benefits will be evident in view of the figures and detailed description presented herein.

BRIEF DESCRIPTION OF THE DRAWINGS

The features, aspects, and advantages of the invention will become more thoroughly apparent from the following detailed description, appended claims, and accompanying drawings in which:

5 **Figure 1A** illustrates thumbnails of all the pages in a document.

Figure 1B illustrates the first three pages.

Figure 2A illustrates a first row of icons corresponding to the three most visually significant pages of a document;

10 **Figure 2B** illustrates pages that contain distinctly different visual differences;

Figure 3 illustrates a more compact representation of all the pages in a document; and

Figure 4 illustrates one embodiment of a computer system.

DETAILED DESCRIPTION OF THE INVENTION

A method and apparatus for generating and displaying a visual summarization of a document is described. In one embodiment, a technique described herein extracts visual features from the document and ranks multiple
5 pages of a document based upon at least one or more visual features of the page. The pages may be presented on a graphical user interface (GUI) to a user with features being displayed that are ranked higher.

Some portions of the detailed descriptions which follow are presented in terms of algorithms and symbolic representations of operations on data bits
10 within a computer memory. These algorithmic descriptions and representations are the means used by those skilled in the data processing arts to most effectively convey the substance of their work to others skilled in the art. An algorithm is here, and generally, conceived to be a self-consistent sequence of steps leading to a desired result. The steps are those requiring physical manipulations of
15 physical quantities. Usually, though not necessarily, these quantities take the form of electrical or magnetic signals capable of being stored, transferred, combined, compared, and otherwise manipulated. It has proven convenient at times, principally for reasons of common usage, to refer to these signals as bits, values, elements, symbols, characters, terms, numbers, or the like.

20 It should be borne in mind, however, that all of these and similar terms are to be associated with the appropriate physical quantities and are merely convenient labels applied to these quantities. Unless specifically stated

otherwise as apparent from the following discussion, it is appreciated that throughout the description, discussions utilizing terms such as "processing" or "computing" or "calculating" or "determining" or "displaying" or the like, refer to the action and processes of a computer system, or similar electronic computing device, that manipulates and transforms data represented as physical (electronic) quantities within the computer system's registers and memories into other data similarly represented as physical quantities within the computer system memories or registers or other such information storage, transmission or display devices.

10 The present invention also relates to apparatus for performing the operations herein. This apparatus may be specially constructed for the required purposes, or it may comprise a general purpose computer selectively activated or reconfigured by a computer program stored in the computer. Such a computer program may be stored in a computer readable storage medium, such as, but is not limited to, any type of disk including floppy disks, optical disks, CD-ROMs, and magnetic-optical disks, read-only memories (ROMs), random access memories (RAMs), EPROMs, EEPROMs, magnetic or optical cards, or any type of media suitable for storing electronic instructions, and each coupled to a computer system bus.

20 The algorithms and displays presented herein are not inherently related to any particular computer or other apparatus. Various general purpose systems may be used with programs in accordance with the teachings herein, or it may

prove convenient to construct more specialized apparatus to perform the required method steps. The required structure for a variety of these systems will appear from the description below. In addition, the present invention is not described with reference to any particular programming language. It will be appreciated that a variety of programming languages may be used to implement the teachings of the invention as described herein.

A machine-readable medium includes any mechanism for storing or transmitting information in a form readable by a machine (e.g., a computer). For example, a machine-readable medium includes read only memory ("ROM"); random access memory ("RAM"); magnetic disk storage media; optical storage media; flash memory devices; electrical, optical, acoustical or other form of propagated signals (e.g., carrier waves, infrared signals, digital signals, etc.); etc.

Overview

Techniques described herein provide a scheme to rank page icons (e.g., thumbnails) according to their visual saliency. The rankings may be used to select certain pages, preferably those with more salient features, for display. This solution may result in increasing the ease of document recall as opposed to display only the first set of pages of a document with reduced sized images to provide a visual clue as to the contents of a document. Additionally, techniques described herein also provide for various effective representations of document content in applications with limited display size.

Figure 1A illustrates thumbnails of all the pages in a document. Figure 1B illustrates the first three pages, arbitrarily chosen, does not help recall the document. By showing pages with the most salient features, as shown in Figure 2A, or pages with distinctly different visual appearances, as shown in Figure 2B, a user is provided, generally, with more information to recall a particular document. Utilizing visual saliency and distinctive features, a more compact representation of all pages in a document may be obtained as illustrated in Figure 3.

The representations in Figures 2A, 2B, and 3, and other suitable representations, are possible using a combination of components such as, for example, features that describe visual characteristics of a document image, feature extraction and representation scheme, and a measure of visual saliency. Each of these features are described below.

A set of features capable of describing the visual characteristics of a document image include textural and layout feature information. Textural features may include one or more of position, size, ink density, line spacing, color and contrast. Layout features may include one or more of configuration of blocks (e.g., column, header, etc.) or types of blocks (e.g., picture, line art, text, etc.). Features that are known to play a significant role in human perception and memory, such as, for example, surrounding space, letter height, bold, bullets, indentation, all capitalization, italics, underlining and other suitable features.

The features extraction/representation scheme component involves the use of document analysis systems that are capable of segmenting blocks, detecting font sizes within blocks, and extracting other relevant information, such as, for example, the textural and layout features described above. Although visual information is naturally conveyed by a description language, in one embodiment a vector representation is used instead to facilitate applications of various techniques developed for information retrieval.

The measure of visual saliency may be based upon a variety of factors such as, for example, psychological experiments that provide some guidelines for designing this component. For instance, it has been determined that pictures tend to draw more attention than text blocks and character size is more significant than character style. The presence of attractive features contributes to the total visual saliency of the page. Optionally, this visual saliency component can also be normalized using schemes similar to term weighting for text retrieval to account for features common to all documents in a database.

Utilizing these components, visual features are first extracted for all pages in a database using methods known in the art. Pages in a document are then ranked according to their visual significance and uniqueness. The user or system designer may determine which visual features are significant or unique. Since the number of different visual features may be quite large, the visual features chosen by a user or a system designer may also be quite large. The ranking serves as the basis for the selection of representing icons in Figure 2A.

In addition to ranking pages, visual features may also be used to provide a distance measure between documents. If the visual features are represented in vector form, as is typically done in image-based retrieval techniques, conventional information retrieval techniques as developed for a vector space model may be applied to produce effective iconic document representations. For example, clustering of the pages may reveal distinct page types as shown in Figure 2B. While clustering of images is commonly performed as a navigation aid to find similar documents, clustering is used within a document having multiple pages. This is analogous to finding "keyframes" in a video.

Treating pages in a document as frames in a sequence may also lead to compact representations. "Scene changes" can be detected by comparing the visual distance between two consecutive pages to a threshold, by looking for transitions to different page types subsequent to clustering as described above, or by other variations such as, for example, combining visual saliency scores.

When the distance between consecutive pages is very small, only one of the two needs to be selected. Sequence of visually similar or uninteresting pages may be stacked to reduce space required as illustrated in Figure 3. It will be appreciated that these components may be utilized independently or in combination with one another to create other novel usages.

An Exemplary Algorithm

The visual summarization system described herein uses a source document as input. In the first phase of the process, a number of, for example, color bitmaps are generated. Each bitmap represents a separate page of the source document. Visual features are then extracted from these bitmaps using document analysis techniques. Two functions Saliency and VisualDist defined over these features enable the effects shown in Figures 2A, 2B, 3.

The techniques described herein may operate on a variety of document types by using the feature extraction process that is assumed to utilize common commercial optical character recognition (OCR) systems and operates on the most common denominator for document representation: image bitmaps. The bitmap generation process is described for several common document formats, such as, for example, paper documents, postscript, portable document format (PDF), hypertext markup language (HTML) and Word documents. Although it is also possible to develop feature extraction modules designed specifically for each document type, using a common representation simplifies the algorithm description. Generalization to other document media may also be similarly derived.

Bitmap Generation

Generating a bitmap can be used for any type of computer-generated source document. However, on occasion it may be more efficient or convenient

to use a specific method based on a particular type of source document. The following description provides a general method and several type-specific methods.

On an operating system ("OS") such as Microsoft Windows, a printer driver is a software application that translates rendering commands from some controlling application into a printable representation of a document. A user typically has installed one printer driver for each different type of printer in which access is granted.

Given a source document S generated by application A, the general methodology operates as follows. The user runs application A, loads document S, and selects the "print" function. The user then selects a printer driver that, instead of sending its output to a printer, creates a number of color bitmap images. The document is paginated just as if it was to be printed. The user optionally has control of font sizes and target paper size, depending on the application A.

Techniques for creating such a printer driver are known in the art since it does not differ significantly from any other printer driver. It is assumed that a bitmap corresponds to a page intended for a printer according to a default dots-per-inch factor. Therefore, an 8.5x11" page corresponds to, for example, a 612x792 bitmap with a 72dpi factor.

In an alternative embodiment, the user selects an existing printer driver that generates Postscript™ output (such drivers are commonly available as part

of an OS or through suppliers such as Adobe Inc), and selects the "Print to File" option. In this way, a postscript file can be generated from an arbitrary source document. This postscript file, in turn, can be transformed into a number of bitmap images.

5 Tools for using HTML to create bitmap images are known in the art. Such tools are available from Sun such as HotJava™, Microsoft such as Internet Explorer ActiveX™ control and AOL such as Netscape Mozilla™ project. Such a tool can further use Dynamic HTML, XML, Style Sheets and further markup languages.

10 In using HTML, there are two choices that determine the size of the final output: target page width and font size. One page width to select is the screen resolution width of an average user, for instance 800 pixels. An alternative is to assume the width of a standard letter-size page, 8.5 inches. Similarly, font size can be chosen to match the default setting on a standard Web browser, *e.g.*, 12
15 point Times Roman font for variable-width characters.

Tools for rendering PDF files are known in the art. Since PDF includes information about page size, orientation, and font size, no further information is required.

Tools for rendering Postscript™ files are known in the art. Since
20 Postscript™ includes information about page size, orientation, and font size, no further information is required.

In addition to the methods above that relate to computer-generated documents, any paper document can also be used as input. A scanning device which is known in the art can turn the paper document directly into a color bitmap per page.

5

Feature Extraction

After image bitmaps are obtained for individual document pages, conventional document analysis techniques may be applied to extract visual features. Commercial OCR systems such as Xerox ScanWorX commonly provide basic layout information and character interpretations. A single document page is often decomposed into blocks of text, pictures, or figures. For text blocks, word bounding boxes and font size are estimated. Since most commercial systems operate on binary or gray scale images, color images can be converted to a monochrome version first for block analysis. Color constituents can be subsequently extracted by superimposing the color image with segmented block information.

The end result of document analysis is a set of feature descriptions for each document page. More specifically, for each page, a list of segmented blocks is obtained. Each segmented block is categorized as text, a picture, or line art.

The location and color composition of each block are also known. In order to proceed to use the algorithm described above, a suitable representation should

be chosen. Therefore, it is assumed that a simple statistical representation is used, although other representations, even symbolic, are also possible.

A document image is divided into $m \times n$ grids. For each uniquely numbered square in the grid, $g_i, 1 \leq i \leq m \cdot n$, five features are recorded. The first three features, t_i , p_i , and f_i , indicate portions of the grid area which overlap with a text, picture or line art block, respectively. For example, if entire area under the grid belongs to a text block, $t_i = 1, p_i = f_i = 0$. If the left one third area overlaps a text block, the right one third overlaps a picture, and the middle one third contains white background, then $t_i = p_i = 0.33$ and $f_i = 0$. The next two features, b_i and c_i , contain the color information of grid content. Colors may be represented by their brightness, hue, and saturation attributes. The brightness attribute represents the observed luminance and is monochromatic. The hue attribute indicates the degree of "redness" or "greenness". The saturation attribute reflects the pureness of the hue. Although human perception is more sensitive to certain color tone than others, it is assumed that visual significance is independent of the hue in the simplified representation and only the "average brightness" and "average color pureness" is recorded. Feature b_i measures the average "blackness" inside a grid. More precisely, it is the average brightness value for pixels in the grid in reverse and normalized such that if all pixels inside a grid are pure black, $b_i = 1$. This feature is equivalent to the "ink density" feature frequently used in conventional document analysis of bitonal images. Feature c_i is the average saturation value for pixels in the grid, also normalized between 0

and 1. Therefore, a grayscale image has only a brightness value but no saturation attribute. In contrast, a grid containing color pixels will have a non-zero c_i value.

Consequently, the visual information in a given page is represented by a

5 vector \vec{v} with dimension $5 * m * n$, which can be considered as a concatenation of 5 vectors $\vec{t}, \vec{p}, \vec{f}, \vec{b}, \vec{c}$ each of $m * n$ dimensions. A document consisting of k pages will be represented by k vectors $\vec{v}_1 \dots \vec{v}_k$. Elements in these vectors all have values between 0 and 1. However, they do not have to sum to 1.

10 Visual Saliency Evaluation

The simplest form of visual saliency is evaluated on a per-page basis independent of other pages in the same document or database. This is achieved by assigning a weight to each visual features. For example, since colors are more noticeable than grays, and pictures are more visually significant than line arts and text, a reasonable weighting for the 5 features is $w_t = 0.1, w_f = 0.4, w_p = 1, w_b = 0.8, w_c = 2$. The saliency score for a page is then computed as

$$Saliency(\vec{v}) = w_t \cdot \sum_i t_i + w_f \cdot \sum_i f_i + w_p \cdot \sum_i p_i + w_b \cdot \sum_i b_i + w_c \cdot \sum_i c_i$$

Although, in this example, the weights are applied uniformly across the page, the weights may be made to reflect the positional variance in human perception. For instance, different weights may be assigned to $w_c(i)$ depending on the location of (i) to emphasize the significance of colors when occurring in

the middle of a page versus on the top or bottom of a page. Therefore, a more general equation for saliency is

$$Saliency(\hat{v}) = \sum_i w_t(i) \cdot t_i + \sum_i w_f(i) \cdot f_i + \sum_i w_p(i) \cdot p_i + \sum_i w_b(i) \cdot b_i + \sum_i w_c(i) \cdot c_i$$

Using the function *Saliency*, pages in a document can thus be ranked

- 5 according to visual distinctiveness, and selected to represent the document, as shown in Figure 2A.

Relative Saliency

- Since one purpose of using visually salient icons is to aid the retrieval of documents, in one embodiment, the icon selection criterion considers common characteristics of other documents in the collection of documents. For example, the significance of a page containing a red picture in one corner is diminished if all pages in the database have the same characteristic. This situation is quite possible in special collections where all documents contain the same logo or other types of marking. This problem is known in information retrieval and is typically dealt with by incorporating a database norm into the equation. By using a centroid subtraction method, similar types of correction mechanisms may be applied to the techniques described herein.

- Given a collection of documents, the centroid is the average visual feature vector of all pages. To discount properties common to all documents in the database, the centroid is subtracted from individual feature vectors before saliency calculation. In other words,

$$RelSaliency(\vec{v}) = Saliency\left(\left|\vec{v} - \vec{u}\right|\right)$$

where \vec{u} is the centroid vector. Thus, in one embodiment, saliency is evaluated based on features that are "out-of-normal" in the database. Using the example presented above, if all pages in the database contain a red picture at grid position i , then the average value of c_i will be fairly high. Therefore, a page that does not have a red picture in the corner should be more noticeable. In this case, if $c_i = 0$ in this page, which a high value will result after subtracting the average c_i in the centroid. In this example, since we are ignoring hue, a page that has a picture in that position, regardless of color, will have a high c_i value. In contrast, a page that does not have any color in that position will stand out.

Visual Distance

To measure the visual difference between two pages, the *Saliency* function may be applied to the absolute values of the differences between corresponding features.

$$VisualDist(\vec{v}_1, \vec{v}_2) = Saliency\left(\left|\vec{v}_1 - \vec{v}_2\right|\right)$$

VisualDist takes a grid by grid accounting of the discrepancies in texture and color between at least two pages and then assesses the visual saliency of the total difference. The portion $\left|\vec{v}_1 - \vec{v}_2\right|$ generates a vector whose elements are all between 0 and 1. While the L_2 norm is most frequently used (or misused) to

measure the distance between two vectors regardless whether a uniform numeric scale applies to all components, this measure appears to be more suitable to describing what a visual difference is and how visually significant that difference may be.

5 One application of the visual distance is to produce a condensed representation of a multi-page document, as shown in Figure 3. The visual difference between every two consecutive pages determines the amount of overlapping that exists; therefore, only significantly different-looking pages are shown in full. Since VisualDist is a distance metric, it can be used to cluster all
10 pages in a document, or pages in a collection of documents. Pages are first grouped by their visual similarities. Thereafter, an exemplar page for each cluster is selected by picking the page whose feature vector is closest to the cluster center. This produces the exemplar pages of a document as seen in Figure 2B.

15 Icon Display

 It will be appreciated that although Figures 2A, 2B, 3 illustrate example of displays of icons created using the techniques of the invention, other arrangements are possible. The scheme may adapt to the amount of space
20 available by picking out a smaller or a larger number of page icons. The amount of space can be specified by an external constraint (*e.g.*, physical display size), by a system designer, or by a user (*e.g.*, if the icon is displayed within a resizable

box), the amount of space can also be a variable. For example, the number of page icons that are shown may depend on the number of clusters found within the document, the length of the document, the number of pages whose visual saliency is above some predetermined threshold, or the connection bandwidth.

5 The scheme of icons may adapt to the shape of the space available. Figure 3 shows a linear display. The same information may be shown as a sequence of lines of page icons, for a square or rectangular shape, or as stacks of distinct-looking pages. Alternatively, the icons may be arranged around a circle or oval. In general, an ordered set of icons may follow any arbitrary path.

10 The generated icons are suitable for use in a graphical user interface, where they can be generated on-the-fly, for printed use, where they are generated ahead of time, or for use on the Web or in multimedia presentation formats.

15 Figure 4 illustrates one embodiment of a computer system 10 which implements the principles of the present invention. Computer system 10 comprises a processor 17, a memory 18, and interconnect 15 such as a bus or a point-to-point link. Processor 17 is coupled to memory 18 by interconnect 15. In addition, a number of user input/output devices, such as a keyboard 20 and display 25, are coupled to a chip set (not shown) which is then connected to
20 processor 17. The chipset (not shown) is typically connected to processor 17 using an interconnect that is separate from interconnect 15.

Processor 17 represents a central processing unit of any type of architecture (*e.g.*, the Intel architecture, Hewlett Packard architecture, Sun Microsystems architecture, IBM architecture, etc.), or hybrid architecture. In addition, processor 17 could be implemented on one or more chips. Memory 18 represents one or more mechanisms for storing data such as the number of times the code is checked and the results of checking the code. Memory 18 may include read only memory ("ROM"), random access memory ("RAM"), magnetic disk storage mediums, optical storage mediums, flash memory devices, and/or other machine-readable mediums. In one embodiment, interconnect 15 represents one or more buses (*e.g.*, accelerated graphics port bus, peripheral component interconnect bus, industry standard architecture bus, X-Bus, video electronics standards association related to buses, etc.) and bridges (also termed bus controllers).

While this embodiment is described in relation to a single processor computer system, the invention could be implemented in a multi-processor computer system or environment. In addition to other devices, one or more of network 30 may be present. Network 30 represents one or more network connections for transmitting data over a machine readable media. The invention could also be implemented on multiple computers connected via such a network.

Figure 4 also illustrates that memory 18 has stored therein data 35 and program instructions (*e.g.* software, computer program, etc.) 36. Data 35 represents data stored in one or more of the formats described herein. Program

instructions 36 represent the necessary code for performing any and/or all of the techniques described with reference to Figures 2A, 2B and 3 do. Program instructions may be stored in a computer readable storage medium, such as any type of disk including floppy disks, optical disks, CD-ROMs, and magnetic-optical disks, ROMs, RAMs, erasable programmable read only memories ("EPROM"s), electrically erasable programmable memories ("EEPROM"s), magnetic or optical cards, or any type of media suitable for storing electronic instructions, and each coupled to a computer system bus. It will be recognized by one of ordinary skill in the art that memory 18 preferably contains additional software (not shown), which is not necessary to understanding the invention.

Figure 4 additionally illustrates that processor 17 includes decoder 40. Decoder 40 is used for decoding instructions received by processor 17 into control signals and/or microcode entry points. In response to these control signals and/or microcode entry points, decoder 40 performs the appropriate operations.

In the preceding detailed description, the invention is described with reference to specific embodiments thereof. It will, however, be evident that various modifications and changes may be made thereto without departing from the broader spirit and scope of the invention as set forth in the claims. The specification and drawings are, accordingly, to be regarded in an illustrative rather than a restrictive sense.

CLAIMS

What is claimed is:

1 1. A method comprising:
2 extracting at least one visual feature from a document, the document
3 having a plurality of pages;
4 ranking the pages in a document based on the at least one visual feature;
5 and
6 display pages based on ranking.

1 2. The method of claim 1 wherein a plurality of visual features are
2 used in ranking and at least one visual feature is weighted.

1 3. The method of claim 1 wherein the visual feature is one of a
2 picture, a text block, a character size, a character style, and a color

1 4. The method of claim 1 wherein a visual feature is weighted based
2 on gradations of the visual feature.

1 5. The method of claim 1 wherein a visual feature is weighted based
2 on location of the visual feature on a page.

1 6. The method of claim 1 wherein the visual feature is represented in
2 a vector form.

1 7. The method of claim 1 wherein the visual feature is used as a
2 distance measure between a first document and a second document.

1 8. The method of claim 1, further comprising clustering of a plurality
2 of pages within a document.

1 9. The method of claim 1, further comprising using visual features to
2 reveal a transition from a first page to a second page of a document.

1 10. The method of claim 1, wherein ranking of the pages includes a
2 correction mechanism.

1 11. The method of claim 1, wherein a scheme showing one of a
2 plurality of pages in a document and a plurality of documents is by one of a
3 linear display, a line of icons, and as a stack.

1 12. A computer system comprising:
2 a display;
3 a processor coupled to the display; and

4 a memory coupled to the processor and having stored therein a routine,
5 which when executed by the processor, causes the processor to generate display
6 data through:

7 extracting at least one visual feature from a document, the
8 document having a plurality of pages,

9 ranking the pages in the document according to the at least one
10 visual feature,

11 selecting a page for representing a document according to a rank,
12 and

13 displaying the selected page as the display data.

1 13. The computer system of claim 12 wherein a plurality of visual
2 features are used in ranking and at least one visual feature is weighted.

1 14. The computer system of claim 13 wherein the visual feature is one
2 of a picture, a text block, a character size, a character style, and a color.

1 15. The computer system of claim 13 wherein a visual feature is
2 weighted based upon gradations of the visual feature.

1 16. The computer system of claim 13 wherein the visual feature is
2 represented in a vector form.

1 17. The computer system of claim 13 wherein the visual feature is used
2 as a distance measure between a first document and a second document.

1 18. The computer system of claim 12, wherein generating display data
2 further comprises clustering of a plurality of pages within a document.

1 19. The computer system of claim 12, wherein a plurality of pages are
2 selected and generating display data further comprises using visual features to
3 reveal a transition from a first page to a second page of a document.

1 21. The computer system of claim 12, wherein ranking the pages
2 includes a correction mechanism.

1 22. The computer system of claim 12, wherein a scheme showing one
2 of a plurality of pages in a document and a plurality of documents is by one of a
3 linear display, a line of icons, and as a stack.

1 23. An article of manufacture having at least one machine readable
2 storage media containing executable program instructions which when executed
3 by a digital processing system cause the digital processing system to:
4 extract at least one visual feature from a document, the document having
5 a plurality of pages,

6 rank pages in the document based on said at least one visual feature,
7 select the pages for representing a document based on ranking, and
8 display selected pages.

1 24. The machine readable storage media of claim 23, wherein a
2 plurality of visual features are used in ranking and at least one visual feature is
3 weighted.

1 25. The machine readable storage media of claim 23, wherein the visual
2 feature is one of a picture, a text block, a character size, a character style, and a
3 color.

1 26. The machine readable storage media of claim 25, wherein a visual
2 feature is weighted based upon gradations of the visual feature.

1 27. The machine readable storage media of claim 23, wherein the visual
2 feature is represented in a vector form.

1 28. The machine readable storage media of claim 23, wherein the visual
2 feature is used as a distance measure between a first document and a second
3 document.

1 29. The machine readable storage media of claim 23, further
2 comprising clustering of a plurality of pages within a document.

1 30. The machine readable storage media of claim 23, further
2 comprising using visual features to reveal a transition from a first page to a
3 second page of a document.

1 32. The machine readable storage media of claim 23, wherein ranking
2 the pages includes a correction mechanism.

1 33. The machine readable storage media of claim 23, wherein a scheme
2 showing one of a plurality of pages in a document and a plurality of documents
3 is by one of a linear display, a line of icons, and as a stack.

1 34. A method comprising:
2 extracting at least one visual feature from a document, the document
3 having a plurality of pages;
4 grouping pages in a document using a plurality of visual features;
5 selecting representative pages from groups; and
6 representing the pages.

ABSTRACT OF THE DISCLOSURE

A system and a method for visually summarizing a document comprising a display, a processor coupled to the display, and a memory coupled to the processor. Stored in the memory is a routine, which when executed by the processor, causes the processor to generate display data. The routine causes the processor to generate data through extracting at least one visual feature from a document having a plurality of pages, ranking the pages in a document, selecting a page for representing a document according to the visual feature, and displaying the selected page as display data.




Figure 1A



Figure 1B



Figure 2A




Figure 2B




Figure 3

001650"ET/2355D

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below, next to my name.

I believe I am the original, first, and sole inventor (if only one name is listed below) or an original, first, and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

"A METHOD AND AN APPARATUS FOR VISUAL SUMMARIZATION OF
DOCUMENTS"

the specification of which

 X is attached hereto.
 was filed on _____ as
United States Application Number _____
or PCT International Application Number _____
and was amended on _____.
(if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claim(s), as amended by any amendment referred to above. I do not know and do not believe that the claimed invention was ever known or used in the United States of America before my invention thereof, or patented or described in any printed publication in any country before my invention thereof or more than one year prior to this application, that the same was not in public use or on sale in the United States of America more than one year prior to this application, and that the invention has not been patented or made the subject of an inventor's certificate issued before the date of this application in any country foreign to the United States of America on an application filed by me or my legal representatives or assigns more than twelve months (for a utility patent application) or six months (for a design patent application) prior to this application.

I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d), of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

Priority
Claimed

| | | | | |
|-------------------|--------------------|---------------------------------|--------------|-------------|
| _____ (Number) | _____ (Country) | _____ (Day/Month/Year Filed) | _____ Yes | _____ No |
| _____ (Number) | _____ (Country) | _____ (Day/Month/Year Filed) | _____ Yes | _____ No |
| _____ (Number) | _____ (Country) | _____ (Day/Month/Year Filed) | _____ Yes | _____ No |

I hereby claim the benefit under title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below:

| | |
|-------------------------------|----------------------|
| _____ (Application Number) | _____ Filing Date |
| _____ (Application Number) | _____ Filing Date |

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

| | | |
|-------------------------------|----------------------|--|
| _____ (Application Number) | _____ Filing Date | _____ (Status -- patented, pending, abandoned) |
| _____ (Application Number) | _____ Filing Date | _____ (Status -- patented, pending, abandoned) |

I hereby appoint the persons listed on Appendix A hereto (which is incorporated by reference and a part of this document) as my respective patent attorneys and patent agents, with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith.

Send correspondence to Michael J. Mallie, BLAKELY, SOKOLOFF, TAYLOR &
(Name of Attorney or Agent)
ZAFMAN LLP, 12400 Wilshire Boulevard 7th Floor, Los Angeles, California 90025 and direct
telephone calls to Michael J. Mallie, (408) 720-8300.
(Name of Attorney or Agent)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of Sole/First Inventor Marko Balabanovic

Inventor's Signature _____ Date _____

Residence San Francisco, California Citizenship United Kingdom
(City, State) (Country)

Post Office Address 216 Hoffman Ave.
San Francisco, California

Full Name of Second/Joint Inventor Dar-Shyang Lee

Inventor's Signature _____ Date _____

Residence Fremont, California Citizenship Taiwan
(City, State) (Country)

Post Office Address 4986 Dunsmuir Commons
Fremont, California 94555

Full Name of Third/Joint Inventor _____

Inventor's Signature _____ Date _____

Residence _____ Citizenship _____
(City, State) (Country)

Post Office Address _____

Full Name of Fourth/Joint Inventor _____

Inventor's Signature _____ Date _____

Residence _____ Citizenship _____
(City, State) (Country)

Post Office Address _____

APPENDIX A

William E. Alford, Reg. No. 37,764; Farzad E. Amini, Reg. No. P42,261; Aloysius T. C. AuYeung, Reg. No. 35,432; William Thomas Babbitt, Reg. No. 39,591; Carol F. Barry, Reg. No. 41,600; Jordan Michael Becker, Reg. No. 39,602; Bradley J. Berezna, Reg. No. 33,474; Michael A. Bernadieu, Reg. No. 35,934; Roger W. Blakely, Jr., Reg. No. 25,831; Gregory D. Caldwell, Reg. No. 39,926; Ronald C. Card, Reg. No. 44,587; Andrew C. Chen, Reg. No. 43,544; Thomas M. Coester, Reg. No. 39,637; Alin Corie, Reg. No. P46,244; Dennis M. deGuzman, Reg. No. 41,702; Stephen M. De Klerk, under 37 C.F.R. § 10.9(b); Michael Anthony DeSanctis, Reg. No. 39,957; Daniel M. De Vos, Reg. No. 37,813; Robert Andrew Diehl, Reg. No. 40,992; Sanjeet Dutta, Reg. No. P46,145; Matthew C. Fagan, Reg. No. 37,542; Tarek N. Fahmi, Reg. No. 41,402; Paramita Ghosh, Reg. No. 42,806; James Y. Go, Reg. No. 40,621; James A. Henry, Reg. No. 41,064; Willmore F. Holbrow III, Reg. No. P41,845; Sheryl Sue Holloway, Reg. No. 37,850; George W. Hoover II, Reg. No. 32,992; Eric S. Hyman, Reg. No. 30,139; William W. Kidd, Reg. No. 31,772; Sang Hui Kim, Reg. No. 40,450; Eric T. King, Reg. No. 44,188; Erica W. Kuo, Reg. No. 42,775; Kurt P. Leyendecker, Reg. No. 42,799; Michael J. Mallie, Reg. No. 36,591; Andre L. Marais, under 37 C.F.R. § 10.9(b); Paul A. Mendonsa, Reg. No. 42,879; Darren J. Milliken, Reg. No. 42,004; Lisa A. Norris, Reg. No. 44,976; Chun M. Ng, Reg. No. 36,878; Thien T. Nguyen, Reg. No. 43,835; Thinh V. Nguyen, Reg. No. 42,034; Dennis A. Nicholls, Reg. No. 42,036; Daniel E. Ovanezian, Reg. No. 41,236; Marina Portnova, Reg. No. P45,750; Babak Redjaian, Reg. No. 42,096; William F. Ryann, Reg. No. 44,313; James H. Salter, Reg. No. 35,668; William W. Schaal, Reg. No. 39,018; James C. Scheller, Reg. No. 31,195; Jeffrey Sam Smith, Reg. No. 39,377; Maria McCormack Sobrino, Reg. No. 31,639; Stanley W. Sokoloff, Reg. No. 25,128; Judith A. Szepesi, Reg. No. 39,393; Vincent P. Tassinari, Reg. No. 42,179; Edwin H. Taylor, Reg. No. 25,129; John F. Travis, Reg. No. 43,203; George G. C. Tseng, Reg. No. 41,355; Joseph A. Twarowski, Reg. No. 42,191; Lester J. Vincent, Reg. No. 31,460; Glenn E. Von Tersch, Reg. No. 41,364; John Patrick Ward, Reg. No. 40,216; Mark L. Watson, Reg. No. P46,322; Thomas C. Webster, Reg. No. P46,154; Charles T. J. Weigell, Reg. No. 43,398; Kirk D. Williams, Reg. No. 42,229; James M. Wu, Reg. No. 45,241; Steven D. Yates, Reg. No. 42,242; and Norman Zafman, Reg. No. 26,250; my patent attorneys, and Justin M. Dillon, Reg. No. 42,486; my patent agent, of BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP, with offices located at 12400 Wilshire Boulevard, 7th Floor, Los Angeles, California 90025, telephone (310) 207-3800, and James R. Thein, Reg. No. 31,710, my patent attorney.

APPENDIX B

Title 37, Code of Federal Regulations, Section 1.56 Duty to Disclose Information Material to Patentability

(a) A patent by its very nature is affected with a public interest. The public interest is best served, and the most effective patent examination occurs when, at the time an application is being examined, the Office is aware of and evaluates the teachings of all information material to patentability. Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith in dealing with the Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section. The duty to disclosure information exists with respect to each pending claim until the claim is cancelled or withdrawn from consideration, or the application becomes abandoned. Information material to the patentability of a claim that is cancelled or withdrawn from consideration need not be submitted if the information is not material to the patentability of any claim remaining under consideration in the application. There is no duty to submit information which is not material to the patentability of any existing claim. The duty to disclose all information known to be material to patentability is deemed to be satisfied if all information known to be material to patentability of any claim issued in a patent was cited by the Office or submitted to the Office in the manner prescribed by §§1.97(b)-(d) and 1.98. However, no patent will be granted on an application in connection with which fraud on the Office was practiced or attempted or the duty of disclosure was violated through bad faith or intentional misconduct. The Office encourages applicants to carefully examine:

(1) Prior art cited in search reports of a foreign patent office in a counterpart application, and

(2) The closest information over which individuals associated with the filing or prosecution of a patent application believe any pending claim patentably defines, to make sure that any material information contained therein is disclosed to the Office.

(b) Under this section, information is material to patentability when it is not cumulative to information already of record or being made of record in the application, and

(1) It establishes, by itself or in combination with other information, a prima facie case of unpatentability of a claim; or

(2) It refutes, or is inconsistent with, a position the applicant takes in:

(i) Opposing an argument of unpatentability relied on by the Office, or

(ii) Asserting an argument of patentability.

A prima facie case of unpatentability is established when the information compels a conclusion that a claim is unpatentable under the preponderance of evidence, burden-of-proof standard, giving each term in the claim its broadest reasonable construction consistent with the specification, and before any consideration is given to evidence which may be submitted in an attempt to establish a contrary conclusion of patentability.

(c) Individuals associated with the filing or prosecution of a patent application within the meaning of this section are:

(1) Each inventor named in the application;

(2) Each attorney or agent who prepares or prosecutes the application; and

(3) Every other person who is substantively involved in the preparation or prosecution of the application and who is associated with the inventor, with the assignee or with anyone to whom there is an obligation to assign the application.

(d) Individuals other than the attorney, agent or inventor may comply with this section by disclosing information to the attorney, agent, or inventor.